James Haltend

PF/XLPU/2.0 12

## **EC Declaration of Conformity**

Issued in Accordance with the Construction Products Directive (CPD)

This is to certify that in compliance with the Council Directive 89/106/EEC of 21<sup>st</sup> December 1988 on construction products, as amended.

## James Halstead plc, Beechfield, Hollinhurst Road, Radcliffe, Manchester M26 1JN, UK

declares that the product(s) detailed below conform(s) to type as required by the above Directives as evidenced by the conformity Route below under attestation system 3 of Appendix ZA.2 of EN 14041:2004

Characteristic	EN Standard	Performance Declaration	Certificate/Report Number
Reaction to Fire	EN13501-1	Class Bfl-s1, posted on $A2_{fl}$ or $A1_{fl}$ panel with a density >1200 kg/m <sup>3</sup>	194171 Notified Test House <sup>1</sup>
Slip Resistance	EN13893	Class DS	20050913-EN13893-007

Product(s)			
Description	POLYFLOR XLPU 2.0MM		
Use	Floor covering for indoor use		
Standards Applicable	BS EN 649:1997 Resilient floor coverings. Homogeneous and heterogeneous polyvinyl chloride floor coverings – Specification		

<sup>1</sup> Exova Warrington Fire, Holmesfield Road, Warrington WA1 2DS, UK. Notified Body No.1104

## SIGNED ON BEHALF OF JAMES HALSTEAD PLC

Name: S

Date:

Steve Mulholland

30 March 2011

Position: Group Technical & A Manager Signature: